

快速 操作 指南

QUICK START GUIDE

JBL

BAR 1300MIK2




在线支持

ONLINE SUPPORT



产品清单

WHAT'S IN THE BOX



x 2



x 2



x 2



x 6



x 2



x 6



x 4



x 2







x 2




壁挂安装

WALL MOUNTING



壁挂安装

WALL MOUNTING




连接

(电视上的 eARC 接口)




CONNECT (FOR eARC TV)



连接


(电视上的 **ARC** 接口)

CONNECT (FOR ARC TV)




开机与充电

POWER ON & CHARGE



声音校准

SOUND CALIBRATION




第1次
校准

1ST
CALIBRATION



1-CALIBRATION



CALIBR



PRESS AGAIN TO CONFIRM




1-DONE

声音校准

SOUND CALIBRATION



④




第**2**次
校准

2ND
CALIBRATION

⑤



PRESS CALIBR AGAIN



⑥



2-CALIBRATION




2-DONE

蓝牙配对 (后置音箱)



BLUETOOTH PAIRING (REAR SPEAKER)



< 设置

蓝牙

蓝牙



设备



BAR 1300MK2 REAR SPK

已连接




其他设备



立体声配对 (后置音箱)


STEREO PAIRING (REAR SPEAKERS)




多音箱连接 (后置音箱)



MULTI-SPEAKER CONNECTION (REAR SPEAKERS)



APP



将你的 Android™ 或 iOS 设备连接到 Wi-Fi 网络, 并按照app上的操作说明完成音箱设置。

Connect your Android or iOS device to the Wi-Fi network and follow app instructions to complete speaker setup.



JBL ONE

*功能的可用性因国家而异, 在你的国家/地区, 并非所有功能都可用。

* The availability of features will vary between countries and not all features may be available in your country.

技术规格

一般规格

- 型号: BAR 1300MK2 (回音壁音箱单元)
BAR 1300MK2 SURROUND (可拆卸音箱)
BAR 1300MK2 SUB (低音炮单元)
- 音箱系统: 11.1.4 声道
- 电源: 100-240 V 交流, ~50/60 Hz
- 音箱总输出功率* (THD 为 1% 时的最大值): 2470 W
- 回音壁音箱输出功率** (THD 为 1% 时的最大值): 950 W
- 环绕声音箱输出功率*** (THD 为 1% 时的最大值): 2 x 160 W
- 低音炮输出功率**** (THD 为 1% 时的最大值): 1200 W
- 回音壁音箱喇叭单元: 8 个 (50 x 75 mm) 跑道型喇叭单元, 7 个 25 mm (1") 高音喇叭单元, 4 个 75 mm (3") 向上发声全频驱动单元
- 环绕声音箱喇叭单元: 2 个 (50 x 90 mm) 跑道型喇叭单元, 1 个 50 mm (2") 全频驱动单元, 1 个 75 mm (3") 向上发声全频驱动单元
- 低音炮喇叭单元: 2 x 200 mm (8")
- 联网待机功率: <2 W
- 工作温度: 0°C-45°C
- 锂电池: 7.2 V、4722 mAh
- 可拆卸环绕声音箱播放时间: 长达 10 小时 (具体内容类型和音量大小而异)

HDMI 规格

- HDMI 视频输入: 3
- HDMI 视频输出 (带高级音频回传通道, eARC): 1
- HDMI HDCP 版本: 2.3
- HDR 直通: HDR10+, Dolby Vision

音频规格

- 频率响应: 33 Hz-20 kHz (-6 dB)
- 音频输入: 光学、蓝牙、USB (USB 播放仅限于美国和亚太地区版本。对于其他版本, USB 仅用于维护。)

USB 规格

- USB 端口: Type A
- USB 额定输出: 5 V 直流, 0.5 A
- 支持文件格式: mp3
- MP3 编解码器: MPEG 1 Layer 2/3、MPEG 2 Layer 3、MPEG 2.5 Layer 3

- MP3 采样率: 16-48 kHz
- MP3 比特率: 80-320 kbps

无线规格

- 蓝牙版本: 主音箱-5.3, 可拆卸环绕声音箱-5.4
- 主音箱蓝牙配置文件: A2DP v1.3、AVRCP v1.5
- 可拆卸环绕声音箱蓝牙配置文件: A2DP v1.4、AVRCP v1.6
- 蓝牙发射器频率范围: 2400 MHz-2483.5 MHz
- 蓝牙发射器功率: <15 dBm (EIRP)
- Wi-Fi 网络: IEEE 802.11 a/b/g/n/ac/ax (2.4 GHz/5 GHz)
- 2.4G Wi-Fi 发射器频率范围: 2412-2472 MHz (2.4 GHz ISM 频段, 美国 11 个频道, 欧洲和其他国家/地区 13 个频道)
- 2.4G Wi-Fi 发射器功率: <20 dBm (EIRP)
- 5G Wi-Fi 发射器频率范围: 5.15-5.35 GHz、5.725-5.825 GHz
- 5G Wi-Fi 发射器功率: 5.15-5.25 GHz <23 dBm、5.25-5.35 GHz <20 dBm、5.725-5.825 GHz <14 dBm (EIRP)
- 5G 无线发射器频率范围: 5.15-5.35 GHz、5.725-5.825 GHz
- 5G 无线发射器功率: 5.15-5.25 GHz <23 dBm (EIRP)、5.25-5.35 GHz <20 dBm (EIRP)、5.725-5.825 GHz <14 dBm (EIRP)
注: 5.6-5.64 GHz 频段在运送到澳大利亚/新西兰时将被禁用。

尺寸

- 回音壁音箱总体尺寸 (宽 x 高 x 厚): 1404 x 58 x 136 mm / 55.3" x 2.3" x 5.4"
- 回音壁音箱尺寸 (宽 x 高 x 厚): 1030 x 58 x 136 mm / 40.6" x 2.3" x 5.4"
- (每个) 可拆卸环绕声音箱尺寸 (宽 x 高 x 厚): 202 x 58 x 136 mm / 8" x 2.3" x 5.4"
- 低音炮尺寸 (宽 x 高 x 厚): 315 x 277 x 275 mm / 12.4" x 10.9" x 10.8"
- 回音壁音箱重量: 5.93 kg / 13 lbs
- (每个) 可拆卸环绕声音箱重量: 1.3 kg / 2.8 lbs
- 低音炮重量: 12 kg / 26.5 lbs
- 包装尺寸 (宽 x 高 x 厚): 1124 x 381 x 452 mm / 44.3" x 15" x 17.8"
- 包装重量: 28.6 kg / 63.1 lbs (欧洲、中东和非洲/英国); 24.3 kg / 53.6 lbs (日本/印度/中国)

* THD 为 1% 时的 RMS: 1235 W | ** THD 为 1% 时的 RMS: 475 W |

*** THD 为 1% 时的 RMS: 2 x 80 W | **** THD 为 1% 时的 RMS: 600 W

TECH SPEC

General specification

- Model: BAR 1300MK2 (soundbar unit)
BAR 1300MK2 SURROUND (detachable speaker)
BAR 1300MK2 SUB (subwoofer unit)
- Sound system: 11.1.4 channel
- Power supply: 100 - 240 V AC, ~ 50/60 Hz
- Total speaker power output* (Max. @THD 1%): 2470 W
- Soundbar output power** (Max. @THD 1%): 950 W
- Surround speaker output power*** (Max. @THD 1%): 2 x 160 W
- Subwoofer output power**** (Max. @THD 1%): 1200 W
- Soundbar transducer: 8 x (50 x 75 mm) racetrack drivers, 7 x 1" (25 mm) tweeters, 4 x 3" (75 mm) up-firing full-range drivers
- Surround speaker transducer: 2 x (50 x 90 mm) racetrack drivers, 1 x 2" (50 mm) full-range drivers, 1 x 3" (75 mm) up-firing full-range drivers
- Subwoofer transducer: 2 x 8" (200 mm)
- Networked standby power: <2 W
- Operating temperature: 0 °C - 45 °C
- Lithium battery: 7.2 V, 4722 mAh
- Detachable surround speaker playlist: up to 10 hours (may vary according to content type and volume level)

HDMI specification

- HDMI video input: 3
- HDMI video output (with Enhanced Audio Return Channel, eARC): 1
- HDMI HDCP version: 2.3
- HDR pass through: HDR10+, Dolby Vision

Audio specification

- Frequency response: 33 Hz - 20 kHz (-6 dB)
- Audio inputs: Optical, Bluetooth, USB (USB playback is available in US and APAC version. For other versions, USB is for Service only.)

USB specification

- USB port: Type A
- USB rating: 5 V DC, 0.5 A

- Supporting file formats: mp3
- MP3 codec: MPEG 1 Layer 2/3, MPEG 2 Layer 3, MPEG 2.5 Layer 3
- MP3 sampling rate: 16 - 48 kHz
- MP3 bitrate: 80 - 320 kbps

Wireless specification

- Bluetooth version: Main Bar - v5.3, Detachable surround speaker - v5.4
- Main bar Bluetooth profile: A2DP v1.3, AVRCP v1.5
- Detachable surround speaker Bluetooth profile: A2DP v1.4, AVRCP v1.6
- Bluetooth transmitter frequency range: 2400 MHz - 2483.5 MHz
- Bluetooth transmitter power: <15 dBm (EIRP)
- Wi-Fi network: IEEE 802.11 a/b/g/n/ac/ax (2.4 GHz / 5 GHz)
- 2.4G Wi-Fi transmitter frequency range: 2412 - 2472 MHz (2.4 GHz ISM Band, USA 11 Channels, Europe and others 13 Channels)
- 2.4G Wi-Fi transmitter power: <20 dBm (EIRP)
- 5G Wi-Fi transmitter frequency range: 5.15 - 5.35 GHz, 5.25 - 5.825 GHz
- 5G Wi-Fi transmitter power: 5.15 - 5.25 GHz <23 dBm, 5.25 - 5.35 GHz <20 dBm, 5.25 - 5.825 GHz <14 dBm (EIRP)
- 5G wireless transmitter frequency range: 5.15 - 5.35 GHz, 5.25 - 5.825 GHz
- 5G wireless transmitter power: 5.15 - 5.25 GHz <23 dBm (EIRP), 5.25 - 5.35 GHz <20 dBm (EIRP), 5.25 - 5.825 GHz <14 dBm (EIRP)

Note: Band 5.6 - 5.64 GHz will be disabled when shipped to Australia / New Zealand.

Dimensions

- Total soundbar dimensions (W x H x D): 1404 x 58 x 136 mm / 55.3" x 2.3" x 5.4"
- Soundbar dimensions (W x H x D): 1030 x 58 x 136 mm / 40.6" x 2.3" x 5.4"
- Detachable surround speaker dimensions (each) (W x H x D): 202 x 58 x 136 mm / 8" x 2.3" x 5.4"
- Subwoofer dimensions (W x H x D): 315 x 277 x 275 mm / 12.4" x 10.9" x 10.8"
- Soundbar weight: 5.93 kg / 13 lbs
- Detachable surround speaker weight (each): 1.3 kg / 2.8 lbs
- Subwoofer weight: 12 kg / 26.5 lbs
- Packaging dimensions (W x H x D): 1124 x 381 x 452 mm / 44.3" x 15" x 17.8"
- Packaging weight: 28.6 kg / 63.1 lbs (EMEA/UK); 24.3 kg / 53.6 lbs (JP/IN/CN)

* RMS @THD 1%: 1235 W | ** RMS @THD 1%: 475 W | *** RMS @THD 1%: 2 x 80 W | **** RMS @THD 1%: 600 W

This product contains open source software licensed under GPL. For your convenience, the source code and relevant build instruction are also available at https://harman-webpages.s3.amazonaws.com/Harman_One_OS_D_package_license_list.htm

Please feel free to contact us at:

Harman Deutschland GmbH

ATT: Open Source, Gregor Krapf-Gunther, Parkring 3

85748 Garching bei Munchen, Germany

or OpenSourceSupport@Harman.com if you have additional question regarding the open source software in the product.



This equipment is a Class II or double insulated electrical appliance.

WARNING: Please refer to the information on exterior bottom enclosure for electrical and safety information before installing or operating the apparatus.

安全信息包括产品标识和电源额定值，请参阅设备底部的主标签。



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by HARMAN International Industries, Incorporated is under license. Other trademarks and trade names are those of their respective owners.



The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.



The Wi-Fi CERTIFIED™ Logo is a registered trademark of Wi-Fi Alliance®.

COMPATIBLE WITH



Dolby, Dolby Vision, Dolby Atmos, and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation. Manufactured under license from Dolby Laboratories. Confidential unpublished works. Copyright © 2012–2024 Dolby Laboratories. All rights reserved.



FOR DTS PATENTS, SEE [HTTP://XPERI.COM/DTS-PATENTS/](http://xperi.com/dts-patents/). MANUFACTURED UNDER LICENSE FROM DTS, INC. AND ITS AFFILIATES. DTS, DTS:X, AND THE DTS:X LOGO ARE REGISTERED TRADEMARKS OR TRADEMARKS OF DTS, INC. AND ITS AFFILIATES IN THE UNITED STATES AND/OR OTHER COUNTRIES. © DTS, INC. AND ITS AFFILIATES. ALL RIGHTS RESERVED.



Works with
Apple AirPlay

Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards. Apple, and AirPlay are trademarks of Apple Inc., registered in the U.S. and other countries and regions. To use AirPlay with JBL Bar 1300MK2, the latest version of iOS, iPadOS, or macOS is recommended.

ROON READY

Being Roon Ready means that HARMAN uses Roon streaming technology, for an incredible user interface, simple setup, rock-solid daily reliability, and the highest levels of audio performance, without compromise.



QQ音乐

QQ音乐是本音响的内容合作伙伴腾讯公司的商业标识或版权形象。

